Lecture 20: Backward stability of an algorithm



School of Mathematical Sciences, Xiamen University

1. Floating point number

• For given integers p and β , in the IEEE floating point standard (founded in 1985, updated in 2008, being undated again now), the elements of the floating point number system **F** are the number 0 together with numbers of the form

$$x = \pm d_1 \cdot d_2 \cdots d_p \times \beta^e$$

where the integers d_i , e satisfy

$$0 \leq d_i \leq \beta - 1, \quad d_1 \neq 0, \quad e_{\min} \leq e \leq e_{\max}.$$

• One need to store sign bit (\pm) , exponent (e), and mantissa $(d_1.d_2\cdots d_p)$; but not the *base* or *radix* $(\beta \ge 2)$. Floating point number system usually uses $\beta = 2$ (10 sometimes, 16 historically).

Precision	β	Bits	p	e_{\min}	e_{\max}	$\epsilon_{\mathrm{machine}}$
Single (32)	2	1 + 8 + 23	24	-126	127	2^{-24}
Double (64)	2	1 + 11 + 52	53	-1022	1023	2^{-53}

1.1. Limitations of digital representations

- Only a finite subset of the real numbers (or the complex numbers) can be represented. Therefore,
 - (i) the represented numbers cannot be arbitrarily large or small;
 - (ii) there are gaps between these numbers.
- 1.2. Floating point number machine accuracy
 - In IEEE double precision arithmetic, the interval [1, 2] is represented by the discrete subset

1,
$$1 + 2^{-52}$$
, $1 + 2 \times 2^{-52}$, $1 + 3 \times 2^{-52}$, \cdots , 2.

The interval [2, 4] is represented by the same numbers multiplied by 2,

2,
$$2+2^{-51}$$
, $2+2\times 2^{-51}$, $2+3\times 2^{-51}$, \cdots , 4.

In general, the interval $[2^j, 2^{j+1}]$ is represented by the numbers for [1, 2] times 2^j .

• For floating point number system, the machine accuracy, denoted by $\epsilon_{\text{machine}}$, is defined as: half the distance between 1 and the next larger floating point number. We have

 $\forall x \in [\theta, \Theta], \quad \exists x' \in \mathbf{F} \quad s.t., \quad |x - x'| \leqslant \epsilon_{\text{machine}} |x|.$

In Matlab, $eps = 2\epsilon_{machine} = 2^{-52}$ in double precision.

• Let fl: $\mathbb{R} \to \mathbf{F}$ denote the function giving the closest floating point approximation. We have

 $\forall x \in [\theta, \Theta], \quad \exists \epsilon \in \mathbb{R} \quad s.t., \quad |\epsilon| \leqslant \epsilon_{\text{machine}} \quad and \quad \text{fl}(x) = x(1+\epsilon).$

Exercise. (James Demmel) Prove the following: If floating point numbers x and y satisfy $2y \ge x \ge y \ge 0$, then fl(x - y) = x - y, i.e., x - y is an exact floating point number.

1.3. Floating point arithmetic

• * (+, -, ×, ÷) in
$$\mathbb{R}$$
; * (\oplus , \ominus , \otimes , \oplus) in **F**; $x \circledast y = fl(x*y)$.

Fundamental Axiom of Floating Point Arithmetic

For all $x, y \in \mathbf{F}$, there exists ϵ with $|\epsilon| \leq \epsilon_{\text{machine}}$ such that

$$x \circledast y = (x \ast y)(1 + \epsilon).$$

1.4. Programming exercise

• TreBau Exercise 13.3 (Horner's rule for polynomial evaluation). $p(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x + a_0.$

Algorithm Horner's rule for $p(x) = \sum_{i=0}^{n} a_i x^i$. $p = a_n$ for i = n - 1 : -1 : 0 $p = xp + a_i$; end

2. Algorithm

- Given a problem f : X → Y. An algorithm for the problem f can be viewed as a map f̃ : X → Y.
- More precisely, assume that a problem f, a computer with floating point system, and a program for solving the problem are fixed:
 - (1) given $x \in \mathbb{X}$, let fl(x) be the corresponding floating point representation;
 - (2) input fl(x) to the program and run it in the computer;
 - (3) the output (computed result) of the program belongs to Y and is called f̃(x).
- A problem may have different algorithms (due to different programs). For example: the problem of sum of three numbers: a + b + c. Programs: (a + b) + c, a + (b + c), and (a + c) + b.
- What can happen for an ill-conditioned problem? Since x is perturbed to fl(x), then $\|\widetilde{f}(x) f(x)\|$ maybe large.

2.1. Accuracy

• An algorithm \tilde{f} for a problem f is *accurate* if for each $x \in \mathbb{X}$,

$$\frac{\|\widetilde{f}(x) - f(x)\|}{\|f(x)\|} = \mathcal{O}(\epsilon_{\text{machine}}).$$

- The meaning of $\mathcal{O}(\cdot)$: $\phi(t) = \mathcal{O}(\psi(t))$ means there exists a positive constant C such that $|\phi(t)| \leq C\psi(t)$ for all t sufficiently close to an understood limit (e.g., $t \to 0$ or $t \to \infty$).
- 2.2. Stability
 - An algorithm \widetilde{f} for a problem f is *stable* if for each $x \in \mathbb{X}$, there exists $\widetilde{x} \in \mathbb{X}$, such that

$$\frac{\|\widetilde{x} - x\|}{\|x\|} = \mathcal{O}(\epsilon_{\text{machine}}), \quad \frac{\|\widetilde{f}(x) - f(\widetilde{x})\|}{\|f(\widetilde{x})\|} = \mathcal{O}(\epsilon_{\text{machine}}).$$

Remark 1

A stable algorithm gives nearly the right answer to nearly the right question.

2.3. Backward stability

• An algorithm \tilde{f} for a problem f is *backward stable* if for each $x \in \mathbb{X}$, there exists $\tilde{x} \in \mathbb{X}$, such that

$$\frac{\|\widetilde{x} - x\|}{\|x\|} = \mathcal{O}(\epsilon_{\text{machine}}), \quad \widetilde{f}(x) = f(\widetilde{x}).$$

Remark 2

A backward stable algorithm gives exactly the right answer to nearly the right question.

Remark 3

Backward stability obviously implies stability.

Remark 4

Backward stability is both stronger and simpler than stability. Many algorithms of NLA are backward stable.

3. Backward error analysis

- The first step is to investigate the conditioning of the problem. The second step is to investigate the backward stability of the corresponding algorithm.
- Forward error \lesssim Condition number \times Backward error.



Theorem 5 (Accuracy of a backward stable algorithm)

Suppose \tilde{f} is backward stable for f. Let $\kappa(f(x))$ denote the condition number of the problem f(x). Then the relative errors satisfy

$$\frac{\|\widetilde{f}(x) - f(x)\|}{\|f(x)\|} = \mathcal{O}(\kappa(f(x))\epsilon_{\text{machine}}).$$

Proof.

By the definition of backward stability, we have there exists \widetilde{x} such that

$$\frac{\|\widetilde{x} - x\|}{\|x\|} = \mathcal{O}(\epsilon_{\text{machine}}), \quad \widetilde{f}(x) = f(\widetilde{x}).$$

By the definition of $\kappa(f(x))$,

$$\kappa(f(x)) = \lim_{\varepsilon \to 0^+} \sup_{\|\delta x\| \leq \varepsilon} \left(\frac{\|\delta f\|}{\|f(x)\|} / \frac{\|\delta x\|}{\|x\|} \right),$$

we have

$$\frac{\|\widetilde{f}(x) - f(x)\|}{\|f(x)\|} \leqslant (\kappa(f(x)) + o(1)) \frac{\|\widetilde{x} - x\|}{\|x\|},$$

where o(1) denotes a quantity that converges to zero as $\epsilon_{\text{machine}} \rightarrow 0$. Then the statement follows.

4. Examples

• Floating point arithmetic: The floating point operations $\oplus, \ominus, \otimes, \oplus$ are all backward stable. Let $x_1, x_2 \in \mathbb{R}$. Consider the problem $f(x_1, x_2) = x_1 * x_2$ and the corresponding algorithm $\tilde{f}(x_1, x_2) = \mathrm{fl}(x_1) \circledast \mathrm{fl}(x_2)$. There exist $|\epsilon_1|, |\epsilon_2|, |\epsilon_3| \leq \epsilon_{\mathrm{machine}}$ and $|\epsilon_4|, |\epsilon_5| \leq 2\epsilon_{\mathrm{machine}} + \mathcal{O}(\epsilon_{\mathrm{machine}}^2)$ such that (except \otimes and \oplus)

$$\widetilde{f}(x_1, x_2) = \mathrm{fl}(x_1) \circledast \mathrm{fl}(x_2) = ([x_1(1 + \epsilon_1)] * [x_2(1 + \epsilon_2)])(1 + \epsilon_3) = [x_1(1 + \epsilon_1)(1 + \epsilon_3)] * [x_2(1 + \epsilon_2)(1 + \epsilon_3)] = [x_1(1 + \epsilon_4)] * [x_2(1 + \epsilon_5)] = \widetilde{x}_1 * \widetilde{x}_2 = f(\widetilde{x}_1, \widetilde{x}_2).$$

Backward stability follows from

$$\frac{|\tilde{x}_1 - x_1|}{|x_1|} = \mathcal{O}(\epsilon_{\text{machine}}), \qquad \frac{|\tilde{x}_2 - x_2|}{|x_2|} = \mathcal{O}(\epsilon_{\text{machine}}).$$

• Inner product

 $\mathbf{x}, \mathbf{y} \in \mathbb{R}^m, \, \alpha = \mathbf{x}^\top \mathbf{y}. \, \widetilde{\alpha} \text{ by } \otimes \text{ and } \oplus. \text{ Backward stable.}$

• Outer product

 $\mathbf{x}, \mathbf{y} \in \mathbb{R}^m$, $\mathbf{A} = \mathbf{x}\mathbf{y}^\top$. $\mathbf{\widetilde{A}}$ by \otimes . Stable but not backward stable. Explanation: the matrix $\mathbf{\widetilde{A}}$ will be most unlikely to have rank exactly 1, i.e., cannot be written as $(\mathbf{x} + \delta \mathbf{x})(\mathbf{y} + \delta \mathbf{y})^*$. As a rule, for problems where the dimension of the space \mathbb{Y} is greater than that of the space \mathbb{X} , backward stability is rare.

Compute f(x) = x + 1
By ⊕, f̃(x) = fl(x) ⊕ 1. Stable but not backward stable.
We have

$$\widetilde{f}(x) = \mathrm{fl}(x) \oplus 1 = (x(1+\epsilon_1)+1)(1+\epsilon_2)$$
$$= x(1+\epsilon_1+\epsilon_2+\epsilon_1\epsilon_2)+\epsilon_2+1.$$

Obviously, $x(1 + \epsilon_1 + \epsilon_2 + \epsilon_1\epsilon_2) + \epsilon_2$ is not small compared with $x \to 0$, i.e., for $x \to 0$,

$$\frac{|x(1+\epsilon_1+\epsilon_2+\epsilon_1\epsilon_2)+\epsilon_2|}{|x|} \neq \mathcal{O}(\epsilon_{\text{machine}}).$$

Explanation: For $x \approx 0$, \oplus introduces absolute errors of size $\mathcal{O}(\epsilon_{\text{machine}})$, which cannot be interpreted as caused by small relative perturbations in x. Therefore, not backward stable. To show stability, for all x, let $\tilde{x} = x(1 + \epsilon_1)$. Note that

$$\frac{|\widetilde{f}(x) - f(\widetilde{x})|}{|f(\widetilde{x})|} = \frac{|\epsilon_2(x(1+\epsilon_1)+1)|}{|x(1+\epsilon_1)+1|} = |\epsilon_2| = \mathcal{O}(\epsilon_{\text{machine}}).$$

Then stability follows.

Comparison: Let $x, y \in \mathbb{R}$. Consider f(x, y) = x + y and the corresponding backward stable algorithm $\tilde{f}(x, y) = f(x) \oplus f(y)$.

4.1. Unitary matrix multiplication: (see also TreBau Exercise 16.1)

• In the rest of this lecture, for simplicity, we always assume that the given data are floating point numbers already if not explicitly stated.

Theorem 6

Left and/or right unitary matrix multiplications are backward stable in the sense: Let \mathbf{Q} be a unitary matrix. The computed quantity $\widetilde{\mathbf{B}}$ for $\mathbf{B} = \mathbf{Q}\mathbf{A}$ or $\mathbf{B} = \mathbf{A}\mathbf{Q}$ satisfies

$$\widetilde{\mathbf{B}} = \mathbf{Q}(\mathbf{A} + \delta \mathbf{A}), \quad \text{or} \quad \widetilde{\mathbf{B}} = (\mathbf{A} + \delta \mathbf{A})\mathbf{Q}, \qquad \frac{\|\delta \mathbf{A}\|}{\|\mathbf{A}\|} = \mathcal{O}(\epsilon_{\text{machine}}).$$

Proof.

We only prove the real case. The complex case is similar. Consider the algorithm for the inner product $\mathbf{q}^{\mathsf{T}}\mathbf{a}$, then matrix-vector product $\mathbf{Q}\mathbf{a}$, and then matrix-matrix product $\mathbf{Q}\mathbf{A}$.

4.2. An unstable algorithm for computing eigenvalues

- Since z is an eigenvalue of **A** if and only if p(z) = 0, where p(z) is the characteristic polynomial det $(z\mathbf{I} \mathbf{A})$, the roots of p(z) are the eigenvalues of **A**. This suggests the following algorithm:
 - (1). Find the coefficients of the characteristic polynomial.
 - (2). Find its roots.
- This algorithm is unstable due to the second step.

Explanation: The problem of finding the roots of a polynomial, given the coefficients, is generally ill-conditioned. Therefore, although only small errors exist in the coefficients of the polynomials, the difference between their roots, $||r(p) - r(\tilde{p})||$, maybe vastly larger than $\epsilon_{\text{machine}} ||r(p)||$. Instability follows.

• See the discussion of TreBau's book – Numerical linear algebra, page 110–111.

4.3. Backward stability of back substitution

• The solution of the nonsingular upper-triangular system

$$\begin{bmatrix} r_{11} & r_{12} & \cdots & r_{1m} \\ & r_{22} & \ddots & \vdots \\ & & \ddots & \vdots \\ & & & r_{mm} \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ \vdots \\ x_m \end{bmatrix} = \begin{bmatrix} b_1 \\ b_2 \\ \vdots \\ b_m \end{bmatrix},$$

can be obtained by the following back substitution algorithm

Algorithm: Back substitution

$$\begin{aligned} x_m &= b_m / r_{mm} \\ x_{m-1} &= (b_{m-1} - x_m r_{m-1,m}) / r_{m-1,m-1} \\ x_{m-2} &= (b_{m-2} - x_{m-1} r_{m-2,m-1} - x_m r_{m-2,m}) / r_{m-2,m-2} \\ &\vdots \\ x_j &= (b_j - \sum_{k=j+1}^m x_k r_{jk}) / r_{jj} \end{aligned}$$

Theorem 7

Back substitution is backward stable in the sense that the computed solution $\widetilde{\mathbf{x}} \in \mathbb{C}^m$ satisfies

 $(\mathbf{R} + \delta \mathbf{R})\widetilde{\mathbf{x}} = \mathbf{b},$

for some upper-triangular $\delta \mathbf{R} \in \mathbb{C}^{m \times m}$ with

$$\frac{\|\delta \mathbf{R}\|}{\|\mathbf{R}\|} = \mathcal{O}(\epsilon_{\text{machine}}).$$

Specifically, for each i, j,

$$\frac{|\delta r_{ij}|}{|r_{ij}|} \leqslant m \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

• Our task is to express every floating point error as a perturbation of the input.

(i) The case m = 1:

$$\widetilde{x}_1 = b_1 \oplus r_{11} = \frac{b_1(1+\epsilon_1)}{r_{11}}, \quad |\epsilon_1| \leqslant \epsilon_{\text{machine}}$$

Set $1 + \epsilon'_1 = 1/(1 + \epsilon_1)$. We have

$$\epsilon_1' = -\frac{\epsilon_1}{1+\epsilon_1} \Rightarrow \widetilde{x}_1 = \frac{b_1}{r_{11}(1+\epsilon_1')}, \quad |\epsilon_1'| \le \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

Therefore

$$(r_{11} + \delta r_{11})\widetilde{x}_1 = b_1; \quad \delta r_{11} = \epsilon'_1 r_{11}; \quad \frac{|\delta r_{11}|}{|r_{11}|} \leq \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

(ii) The case m = 2. The first step is the same as in m = 1 case,

$$\widetilde{x}_2 = b_2 \oplus r_{22} = \frac{b_2}{r_{22}(1+\epsilon_1)}, \quad |\epsilon_1| \leq \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

The second step: there exist $|\epsilon_2|, |\epsilon_3|, |\epsilon_4| \leq \epsilon_{\text{machine}},$

$$\begin{aligned} \widetilde{x}_1 &= (b_1 \ominus (\widetilde{x}_2 \otimes r_{12})) \oplus r_{11} = (b_1 \ominus \widetilde{x}_2 r_{12}(1+\epsilon_2)) \oplus r_{11} \\ &= (b_1 - \widetilde{x}_2 r_{12}(1+\epsilon_2))(1+\epsilon_3) \oplus r_{11} \\ &= \frac{(b_1 - \widetilde{x}_2 r_{12}(1+\epsilon_2))(1+\epsilon_3)}{r_{11}}(1+\epsilon_4). \end{aligned}$$

Shift ϵ_3 and ϵ_4 to the denominator

$$\widetilde{x}_1 = \frac{b_1 - \widetilde{x}_2 r_{12}(1 + \epsilon_2)}{r_{11}(1 + \epsilon_3')(1 + \epsilon_4')},$$

or equivalently,

$$\widetilde{x}_1 = \frac{b_1 - \widetilde{x}_2 r_{12}(1 + \epsilon_2)}{r_{11}(1 + 2\epsilon_5)}, \quad |\epsilon'_3|, |\epsilon'_4|, |\epsilon_5| \leqslant \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

Obviously, \tilde{x}_1 is exactly correct if r_{22} , r_{12} and r_{11} perturbed by factors $(1 + \epsilon_1)$, $(1 + \epsilon_2)$ and $(1 + 2\epsilon_5)$, respectively. Thus,

$$(\mathbf{R} + \delta \mathbf{R})\widetilde{\mathbf{x}} = \mathbf{b},$$

where the entries δr_{ij} of $\delta \mathbf{R}$ satisfy

$$\begin{bmatrix} \frac{|\delta r_{11}|}{|r_{11}|} & \frac{|\delta r_{12}|}{|r_{12}|} \\ \frac{|\delta r_{22}|}{|r_{22}|} \end{bmatrix} = \begin{bmatrix} 2|\epsilon_5| & |\epsilon_2| \\ |\epsilon_1| \end{bmatrix} \leqslant \begin{bmatrix} 2 & 1 \\ 1 \end{bmatrix} \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

The last formula guarantees $\|\delta \mathbf{R}\| / \|\mathbf{R}\| = \mathcal{O}(\epsilon_{\text{machine}})$ in any norm. (iii) The case m = 3. The first two steps are the same as before:

$$\widetilde{x}_3 = b_3 \oplus r_{33} = \frac{b_3}{r_{33}(1+\epsilon_1)},$$

$$\widetilde{x}_2 = (b_2 \ominus (\widetilde{x}_3 \otimes r_{23})) \oplus r_{22} = \frac{b_2 - \widetilde{x}_3 r_{23}(1 + \epsilon_2)}{r_{22}(1 + 2\epsilon_3)},$$

where

$$\begin{bmatrix} 2|\epsilon_3| & |\epsilon_2| \\ & |\epsilon_1| \end{bmatrix} \leqslant \begin{bmatrix} 2 & 1 \\ & 1 \end{bmatrix} \epsilon_1 + \mathcal{O}(\epsilon_{\text{machine}}^2)$$

The third step:

$$\begin{split} \widetilde{x}_{1} &= \left[(b_{1} \ominus (\widetilde{x}_{2} \otimes r_{12})) \ominus (\widetilde{x}_{3} \otimes r_{13}) \right] \oplus r_{11} \\ &= \left[(b_{1} - \widetilde{x}_{2} r_{12} (1 + \epsilon_{4})) (1 + \epsilon_{6}) - \widetilde{x}_{3} r_{13} (1 + \epsilon_{5}) \right] (1 + \epsilon_{7}) \oplus r_{11} \\ &= \frac{\left[(b_{1} - \widetilde{x}_{2} r_{12} (1 + \epsilon_{4})) (1 + \epsilon_{6}) - \widetilde{x}_{3} r_{13} (1 + \epsilon_{5}) \right] (1 + \epsilon_{7})}{r_{11} (1 + \epsilon_{8}')} \\ &= \frac{b_{1} - \widetilde{x}_{2} r_{12} (1 + \epsilon_{4}) - \widetilde{x}_{3} r_{13} (1 + \epsilon_{5}) (1 + \epsilon_{6}')}{r_{11} (1 + \epsilon_{6}') (1 + \epsilon_{7}') (1 + \epsilon_{8}')}, \end{split}$$

 r_{13} has two perturbations of size at most $\epsilon_{\text{machine}}$, r_{11} has three. Then we have $(\mathbf{R} + \delta \mathbf{R}) \mathbf{\tilde{x}} = \mathbf{b}$ with the entries δr_{ij} satisfying

$$\begin{bmatrix} \frac{|\delta r_{11}|}{|r_{11}|} & \frac{|\delta r_{12}|}{|r_{12}|} & \frac{|\delta r_{13}|}{|r_{13}|} \\ \frac{|\delta r_{22}|}{|r_{22}|} & \frac{|\delta r_{23}|}{|r_{23}|} \\ \frac{|\delta r_{33}|}{|r_{33}|} \end{bmatrix} \leqslant \begin{bmatrix} 3 & 1 & 2 \\ 2 & 1 \\ 1 \end{bmatrix} \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

(iv) General m: Higher-dimensional cases are similar. For example, 5×5 case:

$$\frac{|\delta \mathbf{R}|}{|\mathbf{R}|} \leqslant \begin{bmatrix} 5 & 1 & 2 & 3 & 4 \\ & 4 & 1 & 2 & 3 \\ & & 3 & 1 & 2 \\ & & & 2 & 1 \\ & & & & & 1 \end{bmatrix} \epsilon_{\text{machine}} + \mathcal{O}(\epsilon_{\text{machine}}^2).$$

The entries of the matrix in this formula are obtained from three components. The multiplications $\tilde{x}_k r_{jk}$ introduce $\epsilon_{\text{machine}}$ perturbations in the pattern

$$\otimes: \widetilde{x}_k r_{jk} \qquad \left[\begin{array}{ccccc} 0 & 1 & 1 & 1 & 1 \\ 0 & 1 & 1 & 1 \\ 0 & 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \\ 0 & 0 & 1 \end{array} \right]. \quad (\text{inner level})$$

The division by r_{kk} introduce perturbations in the pattern

Finally, the subtractions also occur in the pattern for \otimes , and, due to the decision to compute from left to right, each one introduces a perturbation on the diagonal and at each position to the right. This adds up to the pattern

$$\ominus: \qquad \left[\begin{array}{rrrr} 4 & 0 & 1 & 2 & 3 \\ 3 & 0 & 1 & 2 \\ & 2 & 0 & 1 \\ & & & 1 & 0 \\ & & & & & 0 \end{array} \right].$$

Remark 8

Perturbations of order $\epsilon_{\text{machine}}$ are composed additively and moved freely between numerators and denominators since the difference is of order $\epsilon_{\text{machine}}^2$.

Remark 9

More than one error bound can be derived for a given algorithm. In the present case, we could have perturbed b_j as well as r_{ij} , avoiding the need for the trickery represented pattern for \ominus . On the other hand, a final result in which only **R** is perturbed is appealing clean.

Remark 10

We have done componentwise backward error bound. If $r_{ij} = 0$, this entry undergoes no perturbation at all: $\delta \mathbf{R}$ has the same sparsity pattern as \mathbf{R} .